

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.
Help save water!*

July 17, 2015

06-Fre-168-T29.0/T29.4

06-0M0504

Project ID 0600000353

ACSTP-P168(060)E

Addendum No. 4

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN FRESNO COUNTY NEAR PRATHER FROM 1.2 MILES WEST OF AUBERRY ROAD TO 0.8 MILE WEST OF AUBERRY ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Thursday, July 30, 2015, instead of the original date of Tuesday, July 21, 2015.

This addendum is being issued to set a new bid opening date as shown herein and revise the project plan, and the *Bid* book.

Project plan sheet 18 is replaced and attached for substitution for the like-numbered sheet.

In the *Bid* book, in the "Bid Item List," Items 40 and 42 are replaced.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

Download 06-0M0504.001 file

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html

Addendum No. 4
Page 2
July 17, 2015

06-Fre-168-T29.0/T29.4
06-0M0504
Project ID 0600000353
ACSTP-P168(060)E

Inform subcontractors and suppliers as necessary.

This addendum, EBS addendum file, and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/06/06-0M0504

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



SHARRI BENDER EHLERT
District Director
District 6 Central Region

Attachments

*"Provide a safe, sustainable, integrated and efficient transportation system
to enhance California's economy and livability"*

BID ITEM LIST
06-0M0504

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|----------|-----------|-----------------------------------------------------|-----------------|--------------------|------------|------------|
| 21 | 152320 | RESET ROADSIDE SIGN | EA | 3 | | |
| 22 | 180106 | DUST PALLIATIVE | LS | LUMP SUM | LUMP SUM | |
| 23 | 190101 | ROADWAY EXCAVATION | CY | 2,680 | | |
| 24 | 190160 | ROCK EXCAVATION (CONTROLLED BLASTING) | CY | 6,600 | | |
| 25 | 190185 | SHOULDER BACKING | TON | 300 | | |
| 26 | 198010 | IMPORTED BORROW (CY) | CY | 7,960 | | |
| 27 | 210250 | EROSION CONTROL (BONDED FIBER MATRIX) (SQFT) | SQFT | 67,800 | | |
| 28 | 210270 | ROLLED EROSION CONTROL PRODUCT (NETTING) | SQFT | 67,800 | | |
| 29 | 210360 | COMPOST SOCK | LF | 5,830 | | |
| 30 | 210600 | COMPOST | SQFT | 67,800 | | |
| 31 | 210630 | INCORPORATE MATERIALS | SQFT | 67,800 | | |
| 32 | 260203 | CLASS 2 AGGREGATE BASE (CY) | CY | 1,950 | | |
| 33 | 390132 | HOT MIX ASPHALT (TYPE A) | TON | 2,150 | | |
| 34 | 390137 | RUBBERIZED HOT MIX ASPHALT (GAP GRADED) | TON | 1,120 | | |
| 35 | 394053 | SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS) | STA | 31 | | |
| 36 | 394060 | DATA CORE | LS | LUMP SUM | LUMP SUM | |
| 37 | 394076 | PLACE HOT MIX ASPHALT DIKE (TYPE E) | LF | 1,710 | | |
| 38 | 394090 | PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) | SQYD | 12 | | |
| 39 | 397005 | TACK COAT | TON | 1 | | |
| 40 (F) | 510092 | STRUCTURAL CONCRETE, HEADWALL | CY | 34 | | |

BID ITEM LIST
06-0M0504

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|-----------|-----------|----------------------------------------------|-----------------|--------------------|------------|------------|
| 41 (F) | 510502 | MINOR CONCRETE (MINOR STRUCTURE) | CY | 20 | | |
| 42 (F) | 520101 | BAR REINFORCING STEEL | LB | 4,180 | | |
| 43 | 650018 | 24" REINFORCED CONCRETE PIPE | LF | 120 | | |
| 44 | 650022 | 30" REINFORCED CONCRETE PIPE | LF | 59 | | |
| 45 | 650042 | 60" REINFORCED CONCRETE PIPE | LF | 640 | | |
| 46 | 665015 | 15" CORRUGATED STEEL PIPE (.109" THICK) | LF | 41 | | |
| 47 | 665018 | 18" CORRUGATED STEEL PIPE (.109" THICK) | LF | 110 | | |
| 48 | 665047 | 48" CORRUGATED STEEL PIPE (.109" THICK) | LF | 8 | | |
| 49 | 705009 | 15" STEEL FLARED END SECTION | EA | 1 | | |
| 50 | 705011 | 18" STEEL FLARED END SECTION | EA | 1 | | |
| 51 | 705015 | 24" STEEL FLARED END SECTION | EA | 2 | | |
| 52 | 705031 | 48" STEEL FLARED END SECTION | EA | 1 | | |
| 53 | 709522 | INLET DEPRESSION | EA | 2 | | |
| 54 | 721026 | ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY) | CY | 400 | | |
| 55 | 729011 | ROCK SLOPE PROTECTION FABRIC (CLASS 8) | SQYD | 510 | | |
| 56 (F) | 750001 | MISCELLANEOUS IRON AND STEEL | LB | 1,521 | | |
| 57 | 800007 | FENCE (TYPE BW, 5-STRAND, METAL POST) | LF | 410 | | |
| 58 | 820108 | DELINEATOR (CLASS 2) | EA | 50 | | |
| 59 | 840504 | 4" THERMOPLASTIC TRAFFIC STRIPE | LF | 7,200 | | |
| 60 | 850111 | PAVEMENT MARKER (RETROREFLECTIVE) | EA | 160 | | |